


MATERIAL SAFETY DATA SHEET

wynn's carburator cleaner	Revision date: 31/05/2007 Replaces: 04/07/2006
	RESPONSIBLE COMPANY: AEROTRIM N.V. BELGIUM Industrielaan 24 3900 Overpelt Phone:011.64.23.84 Fax:011.66.11.58 Emergency phone Belgium : 070.245.245 Emergency phone worldwide: XX32.70.245.245 E-mail:Info@aerotrim.be Website:www.aerotrim.be

1. IDENTIFICATION OF THE PRODUCT:

Identification : liquid compound in aerosol, data of section 9 only applicable on liquid part
Kind of product : aerosol
Concentration in use : 100 %

2. HAZARDS IDENTIFICATION:

This is a hazardous preparation with following risks: Extremely flammable. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Repeated exposure may cause skin dryness or cracking

3. COMPOSITION AND INFORMATION ON DANGEROUS COMPONENTS:

Dangerous components	%	Symbol	R-Phrases	CAS N°	EINECS N°
Naphta: distillates, hydrotreated light	2,5 - 9	Xn	65-66	64742-47-8	265-149-8
Butane n- (<0,01% Butadiene -1,3)	10 - 24	F+	12	106-97-8	203-448-7
Propane	10 - 24	F+	12	74-98-6	200-827-9
Naphta heavy (low boiling point hydrogen treated)	25 - 50	Xn	10-65-66	64742-48-9	265-150-3
Naphta light (low boiling point hydrogen treated)	2,5 - 9	Xn, N, F	11-38-65-67-51/53	64742-49-0	265-151-9

4. FIRST AID MEASURES:

Always ask medical advice as soon as possible should serious or continuous disturbances occur
Skin contact : none
Eye contact : rinse first with plenty of water and seek medical attention
Ingestion : rinse mouth with water and and seek medical attention
Swallowing : in case of serious or continuous discomforts: remove to fresh air and seek medical attention

5. FIRE FIGHTING MEASURES :

Fire extinguishing agents : CO2, foam, powder, sprayed water
Extinguishing agents to be avoided : none
Special preventive measures in case of fire : none

6. ACCIDENTAL RELEASE MEASURES:

Preventive measures : keep in a sealed container, out of reach of children
Personal safety measures : no eating, drinking or smoking during work
Environmental measures : do not allow to flow into sewers or open water
Measures in case of leakage : dilute with water

7. HANDLING AND STORAGE:

Special preventive measures in handling and storing : keep in a sealed container in a closed, frost-free, ventilated room
Packing materials to be avoided : none
Preventive measures : handle with care to avoid spillage

8. EXPOSURE CONTROLS/PERSONAL PROTECTION:

Inhalation protection : universal mask
Skin protection : gloves, chemical proof
Eye protection : none
Other protection : protective clothing
Follows a list of the hazardous elements mentioned
sub 2. of which the TLV value is known :



- Butane n- (<0,01% Butadiene -1,3) 1928 mg/m³
- Naphta light (low boiling point hydrogen treated) 903 mg/m³

9. PHYSICAL AND CHEMICAL PROPERTIES:

Melting point/melting range, °C	: /
Boiling point/Boiling range, °C	: 100 - 211
pH	: /
pH 1% diluted in water	: /
Vapour pressure/20°C, Pa	: 4200
Relative density/20°C	: 0,793
Physical state/20°C	: liquid
Flash point, °C	: <-20
Ignition point, °C	: 250
Solubility in water	: insoluble
Odour	: characteristic
Dynamic viscosity, mPa.s/20°C	: 1
Kinematic viscosity, mm ² /s/20°C	: 1
Volatile organic component (VOC), %	: 13

10. STABILITY AND REACTIVITY:

Dangerous reactions with : none known
Circumstances to be avoided : none known

11. TOXICOLOGICAL INFORMATION:

About the substance itself : not applicable under actual EEC guidelines for preparations
General information : see ingredients under section 2
Calculated acute toxicity, LD50 Oral Rat: > 2000 mg/kg

12. ENVIRONMENTAL INFORMATION:

About the substance itself : not applicable under actual EEC guidelines for preparations
General information : see ingredients under section 2
Biological degradability : not applicable
Water hazard class, WGK: 1

13. DISPOSAL CONSIDERATIONS:

Draining into the sewers is not permitted. Removal should be carried out by licensed services.
Possible restrictive regulations by local authority should always be adhered to.

14. TRANSPORT INFORMATION:

Class & number : 5F
Identification number of the hazard :
Identification number of the substance : UN 1950, Aerosols, flammable,
Labels : 2.1



15. REGULATORY INFORMATION:

Labels:



Extremely flammable

Risk phrases

R12	Extremely flammable.
R52/53	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R66	Repeated exposure may cause skin dryness or cracking

Safety phrases

/

S2	Keep out of reach of children.
S3	Keep in a cool place.
S16	Keep away from sources of ignition - No smoking.
S23	Do not breathe spray.
S24	Avoid contact with skin.
S29	Do not empty into drains.
S46	If swallowed, seek medical advice immediately and show this container or label.
S51	Use only in well ventilated areas.
S61	Avoid release to the environment. Refer to special instructions/ Safety data sheets.

Contains

Naphta heavy (low boiling point hydrogen treated)

Naphta light (low boiling point hydrogen treated)

Pressurized container. Protect from sunlight and do not expose to temperatures exceeding + 50°C. Do not pierce or burn even after use. Do not spray on a naked flame or any incandescent material. Do not smoke.

16. OTHER INFORMATION:

Risks connected to the preparation and its hazardous components : R10 Flammable. R11 Highly flammable. R12 Extremely flammable. R38 Irritating to skin. R51 Toxic to aquatic organisms. R52 Harmful to aquatic organisms. R53 May cause long-term adverse effects in the aquatic environment. R65 Harmful: may cause lung damage if swallowed R66 Repeated exposure may cause skin dryness or cracking R67 Vapours may cause drowsiness and dizziness

Reason of revision, changes of following items: 12, 16

Composition by regulation (EC) No 648/2004: Aliphatic hydrocarbons >30%

This safety information sheet has been compiled in accordance with the EEC guide lines. It has been compiled with the utmost care, we cannot, however, accept responsibility for damage, of any kind, that may be caused by using these data or the product concerned.

MSDS reference number : ECM-102504-E