

Safety Data Sheet according to Regulation (EC) No. 453/2010 Date of issue: 24/11/2014 Revision date: 24/11/2014

Version: 1.0

1.1. Product identifier	the substance/mixture and of the company/undertaking		
Product form	: Mixture		
Product name	: LOOSE-ALL SPRAY 520 ML PERMATEX		
Product code	: 35611		
Type of product	: Lubricants		
Vaporizer	: Aerosol		
Product group	: Trade product		
	the substance or mixture and uses advised against		
1.2.1. Relevant identified uses			
Intended for general public			
Main use category	: Consumer use		
wain use category			
1.2.2. Uses advised against			
No additional information available			
1.3. Details of the supplier of th	e safety data sheet		
KRAFFT S.L.U.			
Ctra. Urnieta s/n			
20140 Andoain - España T +34 943 410 400 - F +34 943 410 44	0		
msds@krafft.es	•		
1.4. Emergency telephone num			
Emergency number	: +34 943 410 400 Office hours		
SECTION 2: Hazards identific	ation		
2.1. Classification of the substa	ince or mixture		
Classification according to Regulation	on (EC) No. 1272/2008 [CLP]		
Aerosol 1	H222;H229		
Skin Irrit. 2	H315		
	H304		
Asp. Tox. 1 Aquatic Chronic 3	H304 H412		
	Π <del>4</del> Ι Ζ		
Full text of H-phrases: see section 16			
	67/548/EEC [DSD] or 1999/45/EC [DPD]		
Classification according to Directive	67/548/EEC [DSD] or 1999/45/EC [DPD]		
Classification according to Directive F+; R12	67/548/EEC [DSD] or 1999/45/EC [DPD]		
Classification according to Directive F+; R12 Xi; R38	67/548/EEC [DSD] or 1999/45/EC [DPD]		
Classification according to Directive F+; R12 Xi; R38 R52/53	67/548/EEC [DSD] or 1999/45/EC [DPD]		
Classification according to Directive F+; R12 Xi; R38	67/548/EEC [DSD] or 1999/45/EC [DPD]		
Classification according to Directive F+; R12 Xi; R38 R52/53 Full text of R-phrases: see section 16 Adverse physicochemical, human he			
Classification according to Directive F+; R12 Xi; R38 R52/53 Full text of R-phrases: see section 16 Adverse physicochemical, human he No additional information available			
Classification according to Directive F+; R12 Xi; R38 R52/53 Full text of R-phrases: see section 16 Adverse physicochemical, human he No additional information available 2.2. Label elements	ealth and environmental effects		
Classification according to Directive F+; R12 Xi; R38 R52/53 Full text of R-phrases: see section 16 Adverse physicochemical, human he No additional information available 2.2. Label elements Labelling according to Regulation (E	ealth and environmental effects		
Classification according to Directive F+; R12 Xi; R38 R52/53 Full text of R-phrases: see section 16 Adverse physicochemical, human he No additional information available 2.2. Label elements	ealth and environmental effects		
Classification according to Directive F+; R12 Xi; R38 R52/53 Full text of R-phrases: see section 16 Adverse physicochemical, human he No additional information available 2.2. Label elements Labelling according to Regulation (E	ealth and environmental effects		
Classification according to Directive F+; R12 Xi; R38 R52/53 Full text of R-phrases: see section 16 Adverse physicochemical, human he No additional information available 2.2. Label elements Labelling according to Regulation (E	ealth and environmental effects		
Classification according to Directive F+; R12 Xi; R38 R52/53 Full text of R-phrases: see section 16 Adverse physicochemical, human he No additional information available 2.2. Label elements Labelling according to Regulation (E	ealth and environmental effects C) No. 1272/2008 [CLP] C. C. C		
Classification according to Directive F+; R12 Xi; R38 R52/53 Full text of R-phrases: see section 16 Adverse physicochemical, human he No additional information available 2.2. Label elements Labelling according to Regulation (E Hazard pictograms (CLP)	ealth and environmental effects C) No. 1272/2008 [CLP] CONCUSSION OF CONTRACT OF CONTRACTON OF CONTRACT OF CONTR		
Classification according to Directive F+; R12 Xi; R38 R52/53 Full text of R-phrases: see section 16 Adverse physicochemical, human he No additional information available 2.2. Label elements Labelling according to Regulation (E Hazard pictograms (CLP) Signal word (CLP)	ealth and environmental effects CO No. 1272/2008 [CLP]		
Classification according to Directive F+; R12 Xi; R38 R52/53 Full text of R-phrases: see section 16 Adverse physicochemical, human he No additional information available 2.2. Label elements Labelling according to Regulation (E Hazard pictograms (CLP) Signal word (CLP)	ealth and environmental effects C) No. 1272/2008 [CLP] C C C C C C C C C C C C C C C C C C C		
Classification according to Directive F+; R12 Xi; R38 R52/53 Full text of R-phrases: see section 16 Adverse physicochemical, human he No additional information available 2.2. Label elements Labelling according to Regulation (E Hazard pictograms (CLP) Signal word (CLP)	ealth and environmental effects SC) No. 1272/2008 [CLP] T C GHS02 GHS07 C J Danger C H222 - Extremely flammable aerosol H229 - Pressurised container: May burst if heated		
Classification according to Directive F+; R12 Xi; R38 R52/53 Full text of R-phrases: see section 16 Adverse physicochemical, human he No additional information available 2.2. Label elements Labelling according to Regulation (E Hazard pictograms (CLP)	ealth and environmental effects C) No. 1272/2008 [CLP] C C C C C C C C C C C C C C C C C C C		
Classification according to Directive F+; R12 Xi; R38 R52/53 Full text of R-phrases: see section 16 Adverse physicochemical, human he No additional information available 2.2. Label elements Labelling according to Regulation (E Hazard pictograms (CLP) Signal word (CLP) Hazard statements (CLP)	ealth and environmental effects SC) No. 1272/2008 [CLP] T T C GHS02 GHS07 C H222 - Extremely flammable aerosol H229 - Pressurised container: May burst if heated H315 - Causes skin irritation H412 - Harmful to aquatic life with long lasting effects		
Classification according to Directive F+; R12 Xi; R38 R52/53 Full text of R-phrases: see section 16 Adverse physicochemical, human he No additional information available 2.2. Label elements Labelling according to Regulation (E Hazard pictograms (CLP) Signal word (CLP)	ealth and environmental effects C) No. 1272/2008 [CLP]	1	

Safety Data Sheet according to Regulation (EC) No. 453/2010

Precautionary statements (CLP)	<ul> <li>P102 - Keep out of reach of children</li> <li>P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking</li> <li>P211 - Do not spray on an open flame or other ignition source</li> <li>P251 - Do not pierce or burn, even after use</li> <li>P302+P352 - IF ON SKIN: Wash with plenty of water</li> </ul>
	P332+P313 - If skin irritation occurs: Get medical advice/attention P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F P501 - Dispose of contents/container to an authorised waste collection point

#### 2.3. Other hazards

No additional information available

### **SECTION 3: Composition/information on ingredients**

### 3.1. Substance

Not applicable

Name	Product identifier	%	Classification according to Directive 67/548/EEC
Decane	(CAS No) 124-18-5 (EC no) 204-686-4 (REACH-no) 01-2119474199-26	20 - 25	Xn; R65 R10 R66
Distillates (petroleum), hydrotreated middle, Gasoil - unspecified, [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C11 through C25 and boiling in the range of approximately 205 °C to 400 °C (401 °F to 752 °F).]	(CAS No) 64742-46-7 (EC no) 265-148-2 (EC index no) 649-221-00-X (REACH-no) 01-2119489867-12	20 - 25	Xn; R20 Xn; R65 Xi; R38 N; R51/53
Methylsalicylate	(CAS No) 119-36-8 (EC no) 204-317-7 (REACH-no) 01-2119515671-44	1 - 2,5	Xn; R22 Xi; R36 Xi; R37 Xi; R38
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Decane	(CAS No) 124-18-5 (EC no) 204-686-4 (REACH-no) 01-2119474199-26	20 - 25	Flam. Liq. 3, H226 Asp. Tox. 1, H304
Distillates (petroleum), hydrotreated middle, Gasoil - unspecified, [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C11 through C25 and boiling in the range of approximately 205 °C to 400 °C (401 °F to 752 °F).]	(CAS No) 64742-46-7 (EC no) 265-148-2 (EC index no) 649-221-00-X (REACH-no) 01-2119489867-12	20 - 25	Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Irrit. 2, H315 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
	(CAS No) 119-36-8	1 - 2,5	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315

Full text of R- and H-phrases: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Allow victim to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Repeated exposure may cause skin dryness or cracking.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
4.2. Most important symptoms and effe	cts, both acute and delayed
No additional information available	
4.3. Indication of any immediate medica	al attention and special treatment needed

No additional information available

Safety Data Sheet according to Regulation (EC) No. 453/2010

ccording to Regulation (EC) No. 453/2010	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Jnsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Special hazards arising from the	substance or mixture
No additional information available	
5.3. Advice for firefighters	
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any
Protection during firefighting	chemical fire. Prevent fire-fighting water from entering environment. : Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release mo	easures
6.1. Personal precautions, protective	equipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Ventilate area.
6.2. Environmental precautions	
	otify authorities if liquid enters sewers or public waters.
5.3. Methods and material for contain	
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect
	spillage. Store away from other materials.
6.4. Reference to other sections	
See Heading 8. Exposure controls and person	nal protection.
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.
7.2. Conditions for safe storage, inclu	uding any incompatibilities
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Keep container
ncompatible products	closed when not in use. : Strong bases. Strong acids.
ncompatible materials	: Sources of ignition. Direct sunlight.
7.3. Specific end use(s)	
No additional information available	
SECTION 8: Exposure controls/pe	rsonal protection
8.1. Control parameters No additional information available	
3.2. Exposure controls	
	: Avoid all unnecessary exposure.
Personal protective equipment	
Hand protection	: Wear protective gloves
Eye protection	: Chemical goggles or safety glasses
Respiratory protection	: Wear appropriate mask
Other information	: Do not eat, drink or smoke during use.
SECTION 9: Physical and chemica	al properties
9.1. Information on basic physical an	d chemical properties
Physical state	: Liquid
Colour	: Black.
Odour	: characteristic.
Odour threshold	: No data available
02/02/2015	EN (English) 3/7

Safety Data Sheet according to Regulation (EC) No. 453/2010

рН	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: -80 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: 0,83
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: < 20,5 mm²/s
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

### 9.2. Other information

No additional information available

No additional information available		
SECTION 10: Stability and reactivity		
10.1. Reactivity		
No additional information available		
10.2. Chemical stability		
Not established.		
10.3. Possibility of hazardous reactions		
Not established.		
10.4. Conditions to avoid		
Direct sunlight. Extremely high or low temperature	98.	
10.5. Incompatible materials		
Strong acids. Strong bases.		
10.6. Hazardous decomposition products		
fume. Carbon monoxide. Carbon dioxide.		
SECTION 11: Toxicological informati	on	
11.1. Information on toxicological effects		
Acute toxicity	: Not classified	
Decane (124-18-5)		
LD50 oral rat	> 5000 mg/kg	
LD50 dermal rat	> 2000 mg/kg	
Skin corrosion/irritation	: Causes skin irritation.	
	Repeated exposure may cause skin dryness or cracking	
Serious eye damage/irritation	: Not classified	
Despirator ( or al/in consitiontion	Based on available data, the classification criteria are not met	
Respiratory or skin sensitisation	: Not classified Based on available data, the classification criteria are not met	
Germ cell mutagenicity	: Not classified	
	Based on available data, the classification criteria are not met	
Carcinogenicity	: Not classified	
-	Based on available data, the classification criteria are not met	
Reproductive toxicity	: Not classified	
· ·	Based on available data, the classification criteria are not met	
Specific target organ toxicity (single exposure)	: Not classified	
	Based on available data, the classification criteria are not met	
02/02/2015	EN (English)	4/7

Safety Data Sheet according to Regulation (EC) No. 453/2010

Specific target organ toxicity (repeated exposure)	: Not classified Based on available data, the classification criteria are not met
Aspiration hazard	: May be fatal if swallowed and enters airways. Based on available data, the classification criteria are not met
LOOSE-ALL SPRAY 520 ML PERMATEX	
Vaporizer	Aerosol
Viscosity, kinematic	< 20,5 mm <sup>2</sup> /s
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.

### **SECTION 12: Ecological information** 12.1. Toxicity

No additional information available

12.2. Persistence and degradability	
LOOSE-ALL SPRAY 520 ML PERMATEX	
Persistence and degradability	Not established.
12.3. Bioaccumulative potential	
LOOSE-ALL SPRAY 520 ML PERMATEX	
Bioaccumulative potential	Not established.
12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB assessment	
No additional information available	
12.6. Other adverse effects	
Additional information :	Avoid release to the environment
SECTION 12: Dispessel considerations	
SECTION 13: Disposal considerations	
13.1. Waste treatment methods	

#### Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Ecology - waste materials : Avoid release to the environment.

### **SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
1950	1950	1950	Not applicable	Not applicable
14.2. UN proper shippin	g name	1	1	
AEROSOLS	AEROSOLS	Aerosols, flammable	Not applicable	Not applicable
Transport document descri	ption	1	1	
UN 1950 AEROSOLS, 2.1,	UN 1950 AEROSOLS,			
(D)	2.1			
14.3. Transport hazard	class(es)			
2.1	2.1	2.1	Not applicable	Not applicable
			Not applicable	Not applicable
14.4. Packing group		· · · · ·		
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental haz	zards	•	•	•
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No

Safety Data Sheet

according to Regulation (EC) No. 453/2010

#### 14.6. Special precautions for user

14.6.1. Overland transport	
Classification code (ADR)	: 5F
Special provisions (ADR)	: 190, 327, 344, 625
Limited quantities (ADR)	: 11
Excepted quantities (ADR)	: E0
Packing instructions (ADR)	: P207, LP02
Special packing provisions (ADR)	: PP87, RR6, L2
Mixed packing provisions (ADR)	: MP9
Transport category (ADR)	: 2
Special provisions for carriage - Packages (ADR)	: V14
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV9, CV12
Special provisions for carriage - Operation (ADR)	: S2
Tunnel restriction code (ADR)	: D
14.6.2. Transport by sea	
Special provisions (IMDG)	: 63, 190, 277, 327, 344, 959
Limited quantities (IMDG)	: SP277
Excepted quantities (IMDG)	: E0
Packing instructions (IMDG)	: P207, LP02
Special packing provisions (IMDG)	: PP87, L2
EmS-No. (Fire)	: F-D
EmS-No. (Spillage)	: S-U
Stowage category (IMDG)	: None
Stowage and segregation (IMDG)	: Protected from sources of heat?For AEROSOLS with a maximum capacity of 1 litre: Category A. Segregation as for class 9 but 'Separated from' class 1 except division 1.4.?For AEROSOLS with a capacity above 1 litre: Category B. Segregation as for the appropriate sub-division of class 2.?For WASTE AEROSOLS: Category C. Clear of living quarters. Segregation as for the appropriate sub-division of class 2.
14.6.3. Air transport	
PCA Excepted quantities (IATA)	: E0
PCA Limited quantities (IATA)	: Y203
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 203
PCA max net quantity (IATA)	: 75kg
CAO packing instructions (IATA)	: 203
CAO max net quantity (IATA)	: 150kg
Special provisions (IATA)	: A145, A167
ERG code (IATA)	: 10L
14.6.4. Inland waterway transport	
Not subject to ADN	: No
14.6.5. Rail transport	
Carriage prohibited (RID)	: No

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable

### SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1.

#### 15.1.1. **EU-Regulations**

Contains no substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

#### 15.1.2. **National regulations**

Safety Data Sheet

according to Regulation (EC) No. 453/2010

### Germany

15.2.

Water hazard class (WGK)

: 3 - severe hazard to waters

**Chemical safety assessment** No chemical safety assessment has been carried out

### **SECTION 16: Other information** Data sources REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006. Other information None. · Full text of R-, H- and EUH-phrases: Acute Tox. 4 (Inhalation:dust,mist) Acute toxicity (inhalation:dust,mist) Category 4 Acute Tox. 4 (Oral) Acute toxicity (oral), Category 4 Aerosol 1 Aerosol, Category 1 Aquatic Chronic 2 Hazardous to the aquatic environment - Chronic Hazard, Category 2 Aquatic Chronic 3 Hazardous to the aquatic environment - Chronic Hazard, Category 3 Asp. Tox. 1 Aspiration hazard, Category 1 Eye Irrit. 2 Serious eye damage/eye irritation, Category 2 Flam. Liq. 3 Flammable liquids, Category 3 Skin corrosion/irritation, Category 2 Skin Irrit. 2 STOT SE 3 Specific target organ toxicity - Single exposure, Category 3, Respiratory tract irritation Extremely flammable aerosol H222 H226 Flammable liquid and vapour H229 Pressurised container: May burst if heated H302 Harmful if swallowed May be fatal if swallowed and enters airways H304 Causes skin irritation H315 Causes serious eye irritation H319 Harmful if inhaled H332 H335 May cause respiratory irritation H411 Toxic to aquatic life with long lasting effects Harmful to aquatic life with long lasting effects H412 R10 Flammable Extremely flammable R12 R20 Harmful by inhalation R22 Harmful if swallowed R36 Irritating to eyes R37 Irritating to respiratory system R38 Irritating to skin R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment R65 Harmful: may cause lung damage if swallowed R66 Repeated exposure may cause skin dryness or cracking Extremely flammable F+ Dangerous for the environment Ν Xi Irritant Harmful Xn

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product