

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 15/07/2016 Revision date: 21/04/2020 Version: 2.3

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Trade name : WYNN'S INJECTOR DECARBONIZER 500ML

Product code : 14355

Type of product : Aerosol, Cleaner, Detergent

Vaporizer : Aerosol
Product group : Trade product

Other means of identification : UFI: 4FR8-G1GD-5007-G3N8

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

WYNN'S BELGIUM B.V.B.A. Industriepark West 46 B-9100 Sint-Niklaas - Belgium T +32 3 7666020 - F +32 3 7781656

www.wynns.com

1.4. Emergency telephone number

Emergency number : ES:+34 91 5620420, PT:+351 800 250 250, BIG:+32 (0) 14/58.45.45

ES: Servicio de Información Toxicológica, PT: Centro de Informação Antivenenos, Rest:

BIG

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol, Category 1 H222;H229
Acute toxicity (inhalation:dust,mist) Category 4 H332
Skin corrosion/irritation, Category 2 H315
Serious eye damage/eye irritation, Category 2 H319
Specific target organ toxicity — Single exposure, Category 3,
Respiratory tract irritation

Specific target organ toxicity — Single exposure, Category 3, Narcosis H336 Specific target organ toxicity — Repeated exposure, Category 2 H373 Hazardous to the aquatic environment — Chronic Hazard, Category 3 H412

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)







GHS02 GHS07

GHS08

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Signal word (CLP) : Danger

Hazardous ingredients : acetone; propan-2-one; propanone; Xylene Hazard statements (CLP) : H222 - Extremely flammable aerosol.

H229 - Pressurised container: May burst if heated.

H315 - Causes skin irritation.

H319 - Causes serious eye irritation.

H332 - Harmful if inhaled.

H335 - May cause respiratory irritation. H336 - May cause drowsiness or dizziness.

H373 - May cause damage to organs through prolonged or repeated exposure (if inhaled).

H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P211 - Do not spray on an open flame or other ignition source.

P251 - Do not pierce or burn, even after use. P302+P352 - IF ON SKIN: Wash with plenty of water.

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P312 - Call a POISON CENTRE or doctor if you feel unwell.

P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 $^{\circ}\text{C},\,122$

°F.

P501 - Dispose of contents and container to an approved waste disposal plant.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
acetone; propan-2-one; propanone	(CAS-No.) 67-64-1 (EC-No.) 200-662-2 (EC Index-No.) 606-001-00-8 (REACH-no) 01-2119471330-49	25 – 50	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
Xylene	(CAS-No.) 1330-20-7 (EC-No.) 215-535-7 (EC Index-No.) 601-022-00-9 (REACH-no) 01-2119488216-32	25 – 50	Flam. Liq. 3, H226 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335 STOT RE 2, H373 Asp. Tox. 1, H304 Aquatic Chronic 3, H412
benzyl alcohol	(CAS-No.) 100-51-6 (EC-No.) 202-859-9 (EC Index-No.) 603-057-00-5 (REACH-no) 01-2119492630-38	10 – 20	Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Oral), H302
ISOTRIDECANOL, ETHOXYLATED	(CAS-No.) 69011-36-5 (EC-No.) 931-138-8 (REACH-no) Polymer	2,5 – 3	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

HYDROCARBON WAXES (PETROLEUM),	(CAS-No.) 64743-00-6	< 2,5	Eye Irrit. 2, H319
OXIDIZED	(EC-No.) 265-205-1		
	(REACH-no) 01-2119972699-13		

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Call a POISON

CENTER/doctor if you feel unwell.

First-aid measures after skin contact : Wash with plenty of water/.... Wash contaminated clothing before reuse. If skin irritation

occurs: Get medical advice/attention. Specific treatment (see supplemental first aid

instruction on this label).

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Causes damage to organs.

Symptoms/effects after inhalation : Danger of serious damage to health by prolonged exposure through inhalation. Harmful if

inhaled. May cause respiratory irritation. May cause drowsiness or dizziness.

Symptoms/effects after skin contact : Causes skin irritation.
Symptoms/effects after eye contact : Causes serious eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection. Avoid breathing

dust/fume/gas/mist/vapours/spray.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

21/04/2020 (Version: 2.3) EN (English) 3/12

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Use only outdoors or in a well-ventilated area. Avoid breathing

dust/fume/gas/mist/vapours/spray.

Hygiene measures : Wash hands, forearms and face thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep

container tightly closed.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

acetone; propan-2-one; propanone (67-64-1)	
Germany - Occupational Exposure Limits (TRGS 900)	
TRGS 900 Local name	Aceton
Occupational exposure limit value (mg/m³)	1200 mg/m³
Occupational exposure limit value (ppm)	500 ppm
Limitation of exposure peaks	2(I)
TRGS 900 Remark	AGS;DFG;EU;Y
TRGS 900 Regulatory reference	TRGS900

utane (106-97-8)		
Germany - Occupational Exposure Limits (TRGS 90	rmany - Occupational Exposure Limits (TRGS 900)	
TRGS 900 Local name	Butan	
Occupational exposure limit value (mg/m³)	2400 mg/m³	
Occupational exposure limit value (ppm)	1000 ppm	
Limitation of exposure peaks	4(II)	
TRGS 900 Remark	DFG	
TRGS 900 Regulatory reference	TRGS900	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

propane (74-98-6)		
Germany - Occupational Exposure Limits (TRGS 90	ermany - Occupational Exposure Limits (TRGS 900)	
TRGS 900 Local name	Propan	
Occupational exposure limit value (mg/m³)	1800 mg/m³	
Occupational exposure limit value (ppm)	1000 ppm	
Limitation of exposure peaks	4(II)	
TRGS 900 Remark	DFG	
TRGS 900 Regulatory reference	TRGS900	

sobutane (75-28-5)		
Germany - Occupational Exposure Limits (TRGS 90	ermany - Occupational Exposure Limits (TRGS 900)	
TRGS 900 Local name	Isobutan	
Occupational exposure limit value (mg/m³)	2400 mg/m³	
Occupational exposure limit value (ppm)	1000 ppm	
Limitation of exposure peaks	4(II)	
TRGS 900 Remark	DFG	
TRGS 900 Regulatory reference	TRGS900	

8.2. Exposure controls

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:

Chemical-resistant and impenetrable gloves that meet approved standards should be used whenever chemical products are handled if a risk assessment indicates that it is necessary. Nitrile gloves: Detection time> 8 hours, thickness = 0.12 mm.

Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
	Polyvinylalcohol (PVA), Butyl rubber (IIR) /				EN ISO 374

Eye protection:

Avoid contact with eyes. Splash goggles

Туре	Use	Characteristics	Standard
Safety glasses		With side shields	EN 166
Face shield	In the event of high danger		

Skin and body protection:

Wear suitable protective clothing. Avoid contact with the skin and the eyes. Grossly contaminated clothing should be removed and the skin washed with soap and water or a proprietary skin cleaner. Wash contaminated clothes

Туре	Standard
Use chemically protective clothing, TYPE3; in the event of substantioal spatter, TYPE3; in the event of substantioal spatter	EN 14605
Use chemically protective clothing, TYPE6; In the event of a risk of splashing	EN 13034

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Respiratory protection:

Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. In case of insufficient ventilation, wear suitable respiratory equipment

Device	Filter type	Condition	Standard
Aerosol mask	(FFP1), (FFP3)		EN 149
Gas mask	Gas/vapour filter		EN 14387
Dust mask	Type P1, Type P3		EN 143

Personal protective equipment symbol(s):









Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid : Colourless. Colour : characteristic. Odour : No data available Odour threshold : No data available pН Relative evaporation rate (butylacetate=1) : No data available Melting point No data available Freezing point : No data available Boiling point : No data available

Flash point : \approx -80 °C

Auto-ignition temperature : No data available
Decomposition temperature : No data available
Flammability (solid, gas) : No data available
Vapour pressure : No data available

Vapour pressure at 50 °C : > 3 bar

Relative vapour density at 20 °C : No data available Relative density : No data available Density : 868 g/l @20°C

Solubility : immiscible and insoluble.

Partition coefficient n-octanol/water (Log Pow) : No data available Viscosity, kinematic : <7 mm²/s @40°C Viscosity, dynamic : No data available Explosive properties : No data available Oxidising properties : No data available Lower explosive limit (LEL) : 1,5 vol % Upper explosive limit (UEL) : 10 vol %

9.2. Other information

VOC content : 92.58 %

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Harmful if inhaled.

WYNN'S INJECTOR DECARBONIZER 500ML

ATE CLP (dust,mist) 2,222 mg/l/4h

acetone; propan-2-one; propanone (67-64-1)

LD50 oral rat 5800 mg/kg

ISOTRIDECANOL, ETHOXYLATED (69011-36-5)

ido Indecanoe, emoxilares (65011-50-5)	
LD50 oral rat	300 – 2000 mg/kg
LD50 oral	> 200 mg/kg bodyweight
LD50 dermal rabbit	> 2000 mg/kg
LD50 dermal	> 2000 mg/kg bodyweight

HYDROCARBON WAXES (PETROLEUM), OXIDIZED (64743-00-6)

LD50 oral rat > 5000 mg/kg

Xylene (1330-20-7)

Aylone (1000-20-1)		
LD50 oral		4300 mg/kg bodyweight
	LD50 dermal	> 5000 mg/kg bodyweight
	LC50 inhalation rat (Dust/Mist - mg/l/4h)	> 10000 mg/l

Skin corrosion/irritation : Causes skin irritation.
Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitisation : Not classified

Additional information : Based on available data, the classification criteria are not met

Germ cell mutagenicity : Not classified

Additional information : Based on available data, the classification criteria are not met

Carcinogenicity : Not classified

Additional information : Based on available data, the classification criteria are not met

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

: Not classified Reproductive toxicity

Additional information : Based on available data, the classification criteria are not met

: May cause respiratory irritation. May cause drowsiness or dizziness. STOT-single exposure

STOT-repeated exposure : May cause damage to organs through prolonged or repeated exposure (if inhaled).

Aspiration hazard Not classified.

Additional information Based on available data, the classification criteria are not met

WYNN'S INJECTOR DECARBONIZER 500ML	
Vaporizer	Aerosol
Viscosity, kinematic	< 7 mm²/s @40°C

Potential adverse human health effects and

symptoms

: Harmful if inhaled.

: Not classified

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term

(acute)

Hazardous to the aquatic environment, long-term

: Harmful to aquatic life with long lasting effects.

(chronic)

ISOTRIDECANOL, ETHOXYLATED (69011-36-5)	
LC50 other aquatic organisms 1	1 – 10 mg/l CYPRINUS CARPIO
EC50 Daphnia 1	1 – 10 mg/l
EC50 72h algae (1)	1 – 10 mg/l DESMODESMUS SUBSPICATUS

Xylene (1330-20-7)	
LC50 fish 1	> 86 mg/l
EC50 other aquatic organisms 1	350 mg/l waterflea

12.2. Persistence and degradability

WYNN'S INJECTOR DECARBONIZER 500ML	
Persistence and degradability	Not established.

12.3. Bioaccumulative potential

WYNN'S INJECTOR DECARBONIZER 500ML	
Bioaccumulative potential	Not established.

Xylene (1330-20-7)	
Partition coefficient n-octanol/water (Log Pow)	3,1

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

12.6. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of

contents/container to hazardous or special waste collection point, in accordance with local,

regional, national and/or international regulation.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
UN 1950	UN 1950	UN 1950	Not regulated	Not regulated
14.2. UN proper shippin	g name			
AEROSOLS	AEROSOLS	Aerosols, flammable	Not regulated	Not regulated
Transport document descr	iption			
UN 1950 AEROSOLS, 2.1, (D)	UN 1950 AEROSOLS, 2.1	UN 1950 Aerosols, flammable, 2.1	Not regulated	Not regulated
14.3. Transport hazard o	class(es)			
2.1	2.1	2.1	Not regulated	Not regulated
	*	***	Not regulated	Not regulated
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not regulated	Not regulated
14.5. Environmental haz	ards			
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Not regulated	Not regulated
No supplementary informatio	n available			

14.6. Special precautions for user

Overland transport

Classification code (ADR) : 5F

Special provisions (ADR) : 190, 327, 344, 625

Limited quantities (ADR) : 11

Excepted quantities (ADR) : E0

Packing instructions (ADR) : P207, LP02

Special packing provisions (ADR) : PP87, RR6, L2

Mixed packing provisions (ADR) : MP9
Transport category (ADR) : 2
Special provisions for carriage - Packages (ADR) : V14
Special provisions for carriage - Loading, unloading : CV9, CV12

and handling (ADR)

Special provisions for carriage - Operation (ADR) : S2

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Tunnel restriction code (ADR) : D

Transport by sea

Special provisions (IMDG) : 63, 190, 277, 327, 344, 959

Limited quantities (IMDG) : SP277 Excepted quantities (IMDG) : E0 Packing instructions (IMDG) : P207, LP02 Special packing provisions (IMDG) : PP87, L2 : F-D EmS-No. (Fire) EmS-No. (Spillage) : S-U Stowage category (IMDG) : None Stowage and handling (IMDG) : SW1, SW22 Segregation (IMDG) : SG69

Air transport

PCA Excepted quantities (IATA) : E0
PCA Limited quantities (IATA) : Y203
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 203
PCA max net quantity (IATA) : 75kg
CAO packing instructions (IATA) : 203
CAO max net quantity (IATA) : 150kg

Special provisions (IATA) : A145, A167, A802

ERG code (IATA) : 10L

Inland waterway transport

Not regulated

Rail transport

Not regulated

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

VOC content : 92,58 %

Allergenic fragrances > 0,01%:
benzyl alcohol

Detergent Regulation (648/2004/EC): Labelling of contents:		
Component	%	
Aliphatic hydrocarbons, aromatic hydrocarbons	15-30%	
non-ionic surfactants	<5%	

15.1.2. National regulations

Germany

Water hazard class (WGK) : WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1)

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16

December 2008 on classification, labelling and packaging of substances and mixtures, amending and

repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of H- and EUH-statements:		
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4	
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3	
Asp. Tox. 1	Aspiration hazard, Category 1	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 2	Flammable liquids, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2	
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis	
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation	
H222	Extremely flammable aerosol.	
H225	Highly flammable liquid and vapour.	
H226	Flammable liquid and vapour.	
H229	Pressurised container: May burst if heated.	
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H312	Harmful in contact with skin.	
H315	Causes skin irritation.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H332	Harmful if inhaled.	
H335	May cause respiratory irritation.	
H336	May cause drowsiness or dizziness.	
H373	May cause damage to organs through prolonged or repeated exposure.	
H412	Harmful to aquatic life with long lasting effects.	

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
Aerosol 1	H222;H229	On basis of test data
Acute Tox. 4 (Inhalation:dust,mist)	H332	Calculation method

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Skin Irrit. 2	H315	Calculation method
Eye Irrit. 2	H319	Calculation method
STOT SE 3	H335	Calculation method
STOT SE 3	H336	Calculation method
STOT RE 2	H373	Calculation method
Aquatic Chronic 3	H412	Calculation method

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.