

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 13/12/2022 Revision date: 28/09/2021 Version: 4.00

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : Diesel EGR Extreme Cleaner (Aerosol)

Product code : W23379
Vaporizer : Aerosol
Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Maintenance product

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

ITW ADDITIVES INTL B.V. Industriepark-West 46 9100 Sint-Niklaas Belgium

T +32 3 766 60 20 - F +32 3 778 16 56 <u>msds@wynns.eu</u> - <u>www.wynns.com</u>

1.4. Emergency telephone number

Emergency number : BIG: +32(0)14 58 45 45 (NL FR EN DE)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol, Category 1 H222;H229
Serious eye damage/eye irritation, Category 2 H319
Specific target organ toxicity – Single exposure, Category 3, Respiratory H335

opecific target organ toxicity - Single exposure, Gategory 3, respiratory

tract irritation

Specific target organ toxicity – Single exposure, Category 3, Narcosis H336 Hazardous to the aquatic environment – Chronic Hazard, Category 2 H411

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)







GHS02

GHS07

GHS09

Signal word (CLP) : Danger

Contains : hydrocarbons, C9, aromatics

Hazard statements (CLP) : H222 - Extremely flammable aerosol.

H229 - Pressurised container: May burst if heated.

H319 - Causes serious eye irritation.H335 - May cause respiratory irritation.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

H336 - May cause drowsiness or dizziness.

H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P261 - Avoid breathing vapours, spray.

P280 - Wear eye protection.

P271 - Use only outdoors or in a well-ventilated area.

P102 - Keep out of reach of children.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P211 - Do not spray on an open flame or other ignition source.

P251 - Do not pierce or burn, even after use.

P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

EUH-statements : EUH066 - Repeated exposure may cause skin dryness or cracking.

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
hydrocarbons, C9, aromatics	EC-No.: 918-668-5 REACH-no: 01-2119455851- 35	25 – 50	Flam. Liq. 3, H226 STOT SE 3, H336 STOT SE 3, H335 Asp. Tox. 1, H304 Aquatic Chronic 2, H411 EUH066
2-butoxyethanol substance with a Community workplace exposure limit	CAS-No.: 111-76-2 EC-No.: 203-905-0 EC Index-No.: 603-014-00-0 REACH-no: 01-2119475108-	5 – 10	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319
Acetone substance with a Community workplace exposure limit	CAS-No.: 67-64-1 EC-No.: 200-662-2 EC Index-No.: 606-001-00-8 REACH-no: 01-2119471330-	5 – 10	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336 EUH066

Product subject to CLP Article 1.1.3.7. The disclosure rules of the components is modified in this case.

Full text of H- and EUH-statements: see section 16

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Check the vital functions. Keep victim at rest in half upright position. Unconscious: maintain

adequate airway and respiration. Respiratory arrest: artificial respiration or oxygen. Cardiac arrest: perform resuscitation. Victim in shock: on his back with legs slightly raised. Vomiting: prevent asphyxia/aspiration pneumonia. Keep watching the victim. Give psychological aid. Prevent cooling by covering the victim (no warming up). Keep the victim calm, avoid

physical strain. If necessary seek medical advice. First aider: Pay attention to self-protection!.

First-aid measures after inhalation : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable

for breathing. Call a POISON CENTER/doctor if you feel unwell.

First-aid measures after skin contact

: Remove affected clothing and wash all exposed skin area with mild soap and water,

followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get medical

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Call a POISON CENTER/doctor if you feel unwell.

As it is a spray can packaging it is most unlikely that large quantities will be swallowed.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : May cause drowsiness or dizziness.
Symptoms/effects after inhalation : May cause respiratory irritation. Nausea.

Symptoms/effects after skin contact : Repeated exposure may cause skin dryness or cracking. Tingling/irritation of the skin.

Symptoms/effects after eye contact : Causes serious eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. AFFF foam. ABC-powder. Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Extremely flammable aerosol. Heating may cause a fire or explosion. Explosion hazard : Product is not explosive. Pressurised container: May burst if heated.

Reactivity in case of fire : Upon combustion: CO and CO2 are formed.

5.3. Advice for firefighters

Firefighting instructions : In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk

of explosion. Use water spray or fog for cooling exposed containers.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : No flames, no sparks. Eliminate all sources of ignition.

6.1.1. For non-emergency personnel

Protective equipment : Wear suitable gloves and eye/face protection. protective clothing. Large spills/in enclosed

spaces: compressed air apparatus.

Emergency procedures : Mark the danger area. Keep upwind. Stop engines and no smoking. No naked flames,

sparks, and do not smoke. Mechanically ventilate the spillage area. Use spark-/explosionproof appliances and lighting system. Prevent flow to low areas. Large spills/in

confined spaces: consider evacuation. Take off contaminated clothing.

28/09/2021 (Revision date) EN (English) 3/15

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

6.1.2. For emergency responders

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Small quantities of liquid spill: take up in non-combustible absorbent material and shovel

into container for disposal. This material and its container must be disposed of in a safe way, and as per local legislation. Clean preferably with a detergent - Avoid the use of

solvents.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection".

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Meet the legal requirements. Use spark-/explosionproof appliances and lighting system.

Provide good ventilation in process area to prevent formation of vapour. Keep away from

heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hygiene measures : Use good personal hygiene practices. IF ON SKIN: Wash with plenty of water/.... Wash

contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

Store in a dry place.

Storage temperature : ≤ 45 °C

Information on mixed storage : Keep away from strong acids and strong oxidizers.

Storage area : Meet the legal requirements. Fireproof storeroom. Ventilation along the floor.

Special rules on packaging : Meet the legal requirements. Labelling according to.

Packaging materials : Aerosol can.

7.3. Specific end use(s)

See product bulletin for detailed information. Read label before use. Observe the label precautions.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

2-butoxyethanol (111-76-2)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	2-Butoxyethanol
IOEL TWA	98 mg/m³
IOEL TWA [ppm]	20 ppm
IOEL STEL	246 mg/m³
IOEL STEL [ppm]	50 ppm
Remark	Skin
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2-butoxyethanol (111-76-2)		
Belgium - Occupational Exposure Limits		
Local name	2-Butoxyéthanol # 2-Butoxy-ethanol	
OEL TWA	98 mg/m³	
OEL TWA [ppm]	20 ppm	
OEL STEL	246 mg/m³	
OEL STEL [ppm]	50 ppm	
Regulatory reference	Koninklijk besluit/Arrêté royal 11/03/2002	
France - Occupational Exposure Limits		
VME (OEL TWA)	49 mg/m³	
VME (OEL TWA) [ppm]	10 ppm	
VLE (OEL C/STEL)	246 mg/m³	
VLE (OEL C/STEL) [ppm]	50 ppm	
Hungary - Occupational Exposure Limits		
AK (OEL TWA)	98 mg/m³	
CK (OEL STEL)	246 mg/m³	
Netherlands - Occupational Exposure Limits		
TGG-8u (OEL TWA)	100 mg/m³	
TGG-8u (OEL TWA) [ppm]	20 ppm	
TGG-15min (OEL STEL)	246 mg/m³	
TGG-15min (OEL STEL) [ppm]	50 ppm	
Acetone (67-64-1)		
EU - Indicative Occupational Exposure Limit (IOEL)		
IOEL TWA	1210 mg/m³	
IOEL TWA [ppm]	500 ppm	
Belgium - Occupational Exposure Limits		
OEL TWA	1210 mg/m³	
OEL TWA [ppm]	500 ppm	
OEL STEL	2420 mg/m³	
OEL STEL [ppm]	1000 ppm	
Hungary - Occupational Exposure Limits		
AK (OEL TWA)	1210 mg/m³	
CK (OEL STEL)	2420 mg/m³	
Netherlands - Occupational Exposure Limits		
TGG-8u (OEL TWA)	1210 mg/m³	
TGG-8u (OEL TWA) [ppm]	510 ppm	
TGG-15min (OEL STEL)	2420 mg/m³	
TGG-15min (OEL STEL) [ppm]	1020 ppm	

8.1.2. Recommended monitoring procedures

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

hydrocarbons, C9, aromatics		
DNEL/DMEL (Workers)		
Long-term - systemic effects, dermal	25 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	150 mg/m³	
DNEL/DMEL (General population)		
Long-term - systemic effects,oral	11 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	32 mg/m³	
Long-term - systemic effects, dermal	11 mg/kg bodyweight/day	
2-butoxyethanol (111-76-2)		
DNEL/DMEL (Workers)		
Acute - systemic effects, dermal	89 mg/kg bodyweight/day	
Acute - systemic effects, inhalation	1091 mg/m³	
Long-term - systemic effects, dermal	125 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	98 mg/m³	
Long-term - local effects, inhalation	246 mg/m³	
DNEL/DMEL (General population)		
Acute - systemic effects, dermal	89 mg/kg bodyweight	
Acute - systemic effects, inhalation	426 mg/m³	
Acute - systemic effects, oral	26,7 mg/kg bodyweight	
Long-term - systemic effects,oral	6,3 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	59 mg/m³	
Long-term - systemic effects, dermal	75 mg/kg bodyweight/day	
Long-term - local effects, inhalation	147 mg/m³	
PNEC (Water)		
PNEC aqua (freshwater)	8,8 mg/l	
PNEC aqua (marine water)	0,88 mg/l	
PNEC aqua (intermittent, freshwater)	9,1 mg/l	
PNEC (Sediment)		
PNEC sediment (freshwater)	34,6 mg/kg dwt	
PNEC sediment (marine water)	3,46 mg/kg dwt	
PNEC (Soil)		
PNEC soil	2,33 mg/kg dwt	
PNEC (STP)		
PNEC sewage treatment plant	463 mg/l	
Dibutoxymethane (2568-90-3)		
DNEL/DMEL (Workers)		
Long-term - systemic effects, dermal	11,97 mg/kg bodyweight/day	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Dibutoxymethane (2568-90-3)			
Long-term - systemic effects, inhalation	126,63 mg/m³		
DNEL/DMEL (General population)	DNEL/DMEL (General population)		
Long-term - systemic effects,oral	36,225 mg/kg bodyweight/day		
Long-term - systemic effects, inhalation	31,5 mg/m³		
Long-term - systemic effects, dermal	18,11 mg/kg bodyweight/day		
PNEC (Soil)			
PNEC soil	4,949 mg/kg dwt		
PNEC (STP)			
PNEC sewage treatment plant	1 mg/l		
Acetone (67-64-1)			
DNEL/DMEL (Workers)			
Acute - local effects, inhalation	2420 mg/m³		
Long-term - systemic effects, dermal	186 mg/kg bodyweight/day		
Long-term - systemic effects, inhalation	1210 mg/m³		
DNEL/DMEL (General population)			
Long-term - systemic effects,oral	62 mg/kg bodyweight/day		
Long-term - systemic effects, inhalation	200 mg/m³		
Long-term - systemic effects, dermal	62 mg/kg bodyweight/day		
PNEC (Water)			
PNEC aqua (freshwater)	10,6 mg/l		
PNEC aqua (marine water)	1,06 mg/l		
PNEC aqua (intermittent, freshwater)	21 mg/l		
PNEC (Sediment)			
PNEC sediment (freshwater)	30,4 mg/kg dwt		
PNEC sediment (marine water)	3,04 mg/kg dwt		
PNEC (Soil)			
PNEC soil	29,5 mg/kg dwt		
PNEC (STP)			
PNEC sewage treatment plant	100 mg/l		

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Provide good ventilation in process area to prevent formation of vapour. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Does not require any specific or particular technical measures.

8.2.2. Personal protection equipment

Personal protective equipment:

Safety glasses. Gloves.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Personal protective equipment symbol(s):





8.2.2.1. Eye and face protection

No additional information available

8.2.2.2. Skin protection

Hand protection:

Neoprene. Nitrile rubber. Choosing the proper glove is a decision that depends not only on the type of material, but also on other quality features, which differ for each manufacturer. Time of penetration is to be checked with the glove producer

8.2.2.3. Respiratory protection

No additional information available

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Use appropriate container to avoid environmental contamination.

Other information:

Physical state

Breakthrough time: >30'. Thickness of the glove material >0,1 mm.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

: Liquid

Colour : Not available Appearance : Aerosol. Odour : aromatic. Odour threshold : Not available Melting point : < -20 °C Freezing point : Not available Boiling point : 56 - 180 °C Flammability : Not available **Explosive limits** · 0.8 – 13 vol % Lower explosion limit : Not available Upper explosion limit : Not available Flash point : -18 °C Auto-ignition temperature : 230 °C Decomposition temperature : Not available рΗ : Not available Viscosity, kinematic : Not available Solubility : Partially soluble. Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : 8530 hPa @20°C Vapour pressure at 50°C : Not available : 860 kg/m³ @20°C Density Relative density : Not available Relative vapour density at 20°C : Not available Particle characteristics : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Explosion limits : 0.8 - 13 vol % % of flammable ingredients : 100 %

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

9.2.2. Other safety characteristics

Relative evaporation rate (butylacetate=1) : 5,6

Additional information : The physical and chemical data in this section are typical values for this product and are not

intended as product specifications.

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reactions known under normal conditions of use.

10.2. Chemical stability

Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep away from strong acids and strong oxidizers.

10.5. Incompatible materials

Serious eye damage/irritation

Germ cell mutagenicity

Respiratory or skin sensitisation

Strong acids. Strong oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. On burning: release of harmful/irritant gases/vapours. Carbon dioxide. Carbon monoxide.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

hydrocarbons, C9, aromatics		
LD50 oral rat	≥ 3492 mg/kg bodyweight Charles River CD	
LD50 dermal rabbit	> 3160 mg/kg bodyweight New Zealand White	
LC50 Inhalation - Rat	> 6,193 mg/l/4h Crl: CDBR	
2-butoxyethanol (111-76-2)		
LD50 oral rat	1200 mg/kg bodyweight Rat	
LD50 dermal rat	> 2000 mg/kg bodyweight Sprague-Dawley	
LD50 dermal rabbit	24h 435 mg/kg New Zealand White	
Acetone (67-64-1)		
LD50 oral rat	5800 mg/kg Sprague-Dawley	
LD50 dermal rabbit	> 15800 mg/kg New Zealand White	
LC50 Inhalation - Rat	76 mg/l/4h Carworth Farms-Nelson	
Skin corrosion/irritation : Not classified		

28/09/2021 (Revision date) EN (English) 9/15

: Causes serious eye irritation.

: Not classified

: Not classified

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Carcinogenicity : Not classified Reproductive toxicity : Not classified

STOT-single exposure : May cause respiratory irritation. May cause drowsiness or dizziness.

3101-single exposure .	may cause respiratory irritation, may cause drowsiness or dizziness.
hydrocarbons, C9, aromatics	
STOT-single exposure	May cause drowsiness or dizziness. May cause respiratory irritation.
Acetone (67-64-1)	
STOT-single exposure	May cause drowsiness or dizziness.
STOT-repeated exposure :	Not classified
Aspiration hazard :	Not classified
Diesel EGR Extreme Cleaner (Aerosol)	
Vaporizer	Aerosol
hydrocarbons, C9, aromatics	

nydrocarbons, c9, aromatics		
Viscosity, kinematic	< 1,06 mm²/s	

Aliphatic, alicyclic or aromatic hydrocarbon Yes

2-butoxyethanol (111-76-2)

Viscosity, kinematic < 3,7 mm²/s

Acetone (67-64-1)

Viscosity, kinematic 0,342 mm²/s

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : This product contains hazardous components for the aquatic environment.

Ecology - water : Toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term : Not classified

(acute)

Hazardous to the aquatic environment, long-term : Toxic to aquatic life with long lasting effects.

(chronic)

hydrocarbons, C9, aromatics		
LC50 - Fish [1]	96h 9,2 mg/l Oncorhynchus mykiss	
EC50 - Crustacea [1]	48h 3,2 mg/l Daphnia magna	
EC50 - Other aquatic organisms [1]	72h 2,9 mg/l Pseudokirchnerella subcapitata	
2-butoxyethanol (111-76-2)		
LC50 - Fish [1]	96h 1464 mg/l Oncorhynchus mykiss	
EC50 - Crustacea [1]	48h 1800 mg/l Daphnia magna	
EC50 - Other aquatic organisms [1]	72h 911 mg/l Pseudokirchneriella subcapitata	
NOEC (acute)	72h 88 mg/l Pseudokirchneriella subcapitata	
Acetone (67-64-1)		
LC50 - Fish [1]	96h 5540 mg/l oncorhynchus mykiss	
EC50 - Crustacea [1]	48h 7635 mg/l Daphnia cucullata	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Acetone (67-64-1)	
NOEC chronic algae	8d 530 mg/l microcystis aeroginosa

12.2. Persistence and degradability

2-butoxyethanol (111-76-2)	
Persistence and degradability Readily biodegradable.	
Acetone (67-64-1)	
Persistence and degradability	Readily biodegradable.

12.3. Bioaccumulative potential

2-butoxyethanol (111-76-2)	
Bioaccumulative potential Slightly bioaccumulative.	
Acetone (67-64-1)	
Bioaccumulative potential	Bioaccumulation unlikely.

12.4. Mobility in soil

2-butoxyethanol (111-76-2)		
Ecology - soil Small adsorption.		
Acetone (67-64-1)		
Ecology - soil	Expected to be highly mobile in soil.	

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Remove to an authorized waste treatment plant. Do not pierce or burn, even after use. Avoid release to the

environment.

European List of Waste (LoW) code : 18 01 06* - chemic

18 01 06* - chemicals consisting of or containing dangerous substances
 15 01 11* - metallic packaging containing a dangerous solid porous matrix (e.g. asbestos), including empty pressure containers

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	ADR IMDG		IATA ADN	
14.1. UN number or ID number				
UN 1950	UN 1950	UN 1950	UN 1950	UN 1950

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID		
14.2. UN proper shipping name						
AEROSOLS	AEROSOLS	Aerosols, flammable	AEROSOLS	AEROSOLS		
Transport document descr	iption					
UN 1950 AEROSOLS, 2.1, (D), ENVIRONMENTALLY HAZARDOUS	(D), ENVIRONMENTALLY		UN 1950 AEROSOLS, 2.1, ENVIRONMENTALLY HAZARDOUS	UN 1950 AEROSOLS, 2.1, ENVIRONMENTALLY HAZARDOUS		
14.3. Transport hazard o	class(es)					
2.1	2.1	2.1	2.1	2.1		
2	2	2	2	**************************************		
14.4. Packing group						
Not applicable	Not applicable Not applicable		Not applicable	Not applicable		
14.5. Environmental hazards						
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: No	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes		
No supplementary informatio	n available		I	ı		

14.6. Special precautions for user

Overland transport

Classification code (ADR) : 5F

Special provisions (ADR) : 190, 327, 344, 625

Limited quantities (ADR) : 1I
Excepted quantities (ADR) : E0
Packing instructions (ADR) : P207

Special packing provisions (ADR) : PP87, RR6, L2

Mixed packing provisions (ADR) : MP9

Transport category (ADR) : 2

Special provisions for carriage - Packages (ADR) : V14

Special provisions for carriage - Loading, unloading : CV9, CV12

and handling (ADR)

Special provisions for carriage - Operation (ADR) : S2 Tunnel restriction code (ADR) : D

Transport by sea

Special provisions (IMDG) : 63, 190, 277, 327, 344, 381, 959

Packing instructions (IMDG) : P207, LP200
Special packing provisions (IMDG) : PP87, L2
EmS-No. (Fire) : F-D
EmS-No. (Spillage) : S-U
Stowage category (IMDG) : None
Stowage and handling (IMDG) : SW1, SW22
Segregation (IMDG) : SG69

Air transport

PCA Excepted quantities (IATA) : E0
PCA Limited quantities (IATA) : Y203
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 203

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

PCA max net quantity (IATA) : 75kg
CAO packing instructions (IATA) : 203
CAO max net quantity (IATA) : 150kg

Special provisions (IATA) : A145, A167, A802

ERG code (IATA) : 10L

Inland waterway transport

Classification code (ADN) : 5F

Special provisions (ADN) : 190, 327, 344, 625

Limited quantities (ADN) : 1 L

Excepted quantities (ADN) : E0

Equipment required (ADN) : PP, EX, A

Ventilation (ADN) : VE01, VE04

Number of blue cones/lights (ADN) : 1

Rail transport

Classification code (RID) : 5F

Special provisions (RID) : 190, 327, 344, 625

Limited quantities (RID) : 1L Excepted quantities (RID) : E0

Packing instructions (RID) : P207, LP200 Special packing provisions (RID) : PP87, RR6, L2

Mixed packing provisions (RID) : MP9
Transport category (RID) : 2
Special provisions for carriage – Packages (RID) : W14
Special provisions for carriage - Loading, unloading : CW9, CW12

and handling (RID)

Colis express (express parcels) (RID) : CE2 Hazard identification number (RID) : 23

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Explosives Precursors Regulation (2019/1148)

Contains substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

ANNEX II REPORTABLE EXPLOSIVES PRECURSORS

List of substances on their own or in mixtures or in substances for which suspicious transactions and significant disappearances and thefts are to be reported to the relevant national contact point within 24 hours.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name		Nomenclature	Combined Nomenclature code for mixture without constituents which would determine classification under another CN code
Acetone	67-64-1	2914 11 00	ex 3824 99 92

Please see https://ec.europa.eu/home-affairs/system/files/2021-11/list_of_competent_authorities_and_national_contact_points_en.pdf

Drug Precursors Regulation (273/2004)

Contains substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

Name	CN designation	CAS-No.	CN code	Category	Threshold	Annex
Acetone		67-64-1	2914 11 00	Category 3		Annex I

15.1.2. National regulations

France

Occupational diseases		
Code	Description	
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide	

Germany

Water hazard class (WGK) : WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1).

Hazardous Incident Ordinance (12. BlmSchV) : Is not subject of the Hazardous Incident Ordinance (12. BlmSchV)

Netherlands

SZW-lijst van kankerverwekkende stoffen

SZW-lijst van mutagene stoffen

SZW-lijst van reprotoxische stoffen – Borstvoeding
SZW-lijst van reprotoxische stoffen –

SZW-lijst van reprotoxische stoffen –

SZW-lijst van reprotoxische stoffen –

Vruchtbaarheid

None of the components are listed

None of the components are listed

SZW-lijst van reprotoxische stoffen – Ontwikkeling

: None of the components are listed

Denmark

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed
Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of H- and EUH-statements:		
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Asp. Tox. 1	Aspiration hazard, Category 1	
EUH066	Repeated exposure may cause skin dryness or cracking.	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
Flam. Liq. 2	Flammable liquids, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
H222	Extremely flammable aerosol.	
H225	Highly flammable liquid and vapour.	
H226	Flammable liquid and vapour.	
H229	Pressurised container: May burst if heated.	
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H315	Causes skin irritation.	
H319	Causes serious eye irritation.	
H332	Harmful if inhaled.	
H335	May cause respiratory irritation.	
H336	May cause drowsiness or dizziness.	
H411	Toxic to aquatic life with long lasting effects.	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis	

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.