



Consumer range

PRE-EMISSION TEST TREATMENT FOR DIESEL ENGINES

Fast acting Pre-MOT Treatment

Wynn's Pre-Emission Test Treatment for Diesel Engines has been specially developed to reduce exhaust smoke and help your vehicle pass the strict new MOT Emission Test.

Properties

- ✓ Reduces exhaust emissions and soot.
- ✓ Reduces black smoke.
- ✓ Improves combustion, engine performance and fuel economy.
- ✓ Cleans injectors, restoring injector spray pattern.
- Cleans the entire fuel system including Diesel Oxidation Catalyst and Diesel Particulate Filter.

Applications

- ✓ For all diesel engines, including common rail and pump injector engines.
- ✓ Compatible with all diesel system components including catalytic converters, Diesel Particulate Filters and SCR systems.
- ✓ For diesel and bio diesel up to B30.

Directions

- ✓ Add one bottle of 325 ml to the diesel fuel tank containing a minmum of 30 litres of fuel.
- ✓ Drive at least 50 km on the motorway before taking the vehicle for an official emission test.
- ✓ Can be used as a curative treatment in the event of an emission failure.
- ✓ For best result use every third tank filling and use 150 km before MOT test.
- ✓ Results may vary due to service history, age and mileage.
- \checkmark Bottle is suitable for capless fuel fillers.

Wynn's Belgium bvba – Industriepark West 46 – B-9100 Sint-Niklaas / Belgium Tel: 32-3-766.60.20 - Fax: 32-3-778.16.56 – E-mail: mail@wynns.eu – Website: www.wynns.com

The data concerning properties and applications of the indicated products are offered in good faith and are based on our research and practical experiences. Due to the versatility of the application possibilities, it is impossible to mention all details and we do not assume any obligations or responsibilities resulting from this. When a new edition appears due to the technical development, the preceding data are no longer valid.



Packaging

PN 31964 – 12x325 ml – EN

Product specifications

Wynn's Belgium bvba – Industriepark West 46 – B-9100 Sint-Niklaas / Belgium Tel: 32-3-766.60.20 - Fax: 32-3-778.16.56 – E-mail: <u>mail@wynns.eu</u> – Website: <u>www.wynns.com</u>

The data concerning properties and applications of the indicated products are offered in good faith and are based on our research and practical experiences. Due to the versatility of the application possibilities, it is impossible to mention all details and we do not assume any obligations or responsibilities resulting from this. When a new edition appears due to the technical development, the preceding data are no longer valid.